

## How effective are interventions in optimizing workplace mental health and well-being? A scoping review of reviews and evidence map

by Alex Waddell, PhD,<sup>1,2</sup> Breanne Kunstler, PhD,<sup>3</sup> Alyse Lennox, BPsych(Hons),<sup>3</sup> Loyal Pattuwage, MPH,<sup>1</sup> Emily AC Grundy, BPsychSc(Hons),<sup>3</sup> Diki Tsering, MES,<sup>1</sup> Patrick Olivier, PhD,<sup>2</sup> Peter Bragge, PhD<sup>1</sup>

Waddell A, Kunstler B, Lennox A, Pattuwage L, Grundy EAC, Tsering D, Olivier P, Bragge P. How effective are interventions in optimizing workplace mental health and well-being? A scoping review of reviews and evidence map. *Scand J Work Environ Health*. 2023;49(4):235–248.

**Objectives** Mental well-being is critical to quality of life. Workplace mental well-being is crucial to ensure employee health, satisfaction, and performance. Mental ill-health is a global challenge, costing workplaces \$17 billion per year. Workplaces have realized the need for investment in interventions to promote mental health and well-being in their workforce. However, given their limited resources, workplace personnel responsible for program implementation need evidence-based guidance on which interventions influence which outcomes.

**Methods** This study employed a scoping review methodology in order to produce an evidence map and includes reviews of workplace mental well-being interventions. The search strategy focused on peer-reviewed articles with the primary aim of investigating workplace mental health interventions. Reviews were assessed for quality using AMSTAR 2. The evidence map includes interventions (rows) and outcomes (columns), with the relative size of the reviews underpinning each intersection represented by circles and the direction of evidence represented by color.

**Results** Eighty reviews were deemed eligible from 4795 citations. The resulting evidence map includes 17 intervention types designed to influence 12 outcomes. Interventions with the highest quality evidence were mindfulness, education and information provision, and individual psychological therapies. The most common outcomes were burnout / stress reduction and mental well-being. Interventions tended to focus on individual level factors rather than organizational or system-level factors.

**Conclusion** The evidence-base for workplace mental health interventions is broad and extensive. There is an apparent knowledge-to-practice gap, presenting challenges to implementing workplace mental health programs (ie, what interventions have the highest quality evidence). This study aims to fill the gap by providing an interactive evidence-map. Future research should look to fill the gaps within the map including the lack of organization and system level factors and especially economic evaluations.

**Key terms** burnout; practice review; stress.

Mental Health is defined by the World Health Organisation (WHO) as “a state of well-being in which an individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and is able to make a contribution to his or her community” (1). Importantly, the WHO also emphasize that mental health is more than the absence of disorder. Therefore, terms such as ‘mental well-being’ and ‘thriving’ are often used interchangeably with the term ‘mental health’ (2–5).

Workplace mental health and well-being is a broad concept focused primarily on the health of the workforce, which can consequently determine good or poor outcomes in the workplace. Having high workplace mental health and well-being is important to ensure optimal health of employees and can contribute to high employee satisfaction and performance, and employees dedicated to achieving the goals of their organization (6). Conversely, lower workplace mental health and

<sup>1</sup> Monash Sustainable Development Institute Evidence Review Service, Monash University, Australia.

<sup>2</sup> BehaviourWorks Australia, Monash Sustainable Development Institute, Monash University, Australia.

<sup>3</sup> Department of Human-Centred Computing, Faculty of Information Technology, Monash University, Australia.

Correspondence to: Alex Waddell, Department of Human-Centred Computing, Faculty of Information Technology, Monash University, Clayton Campus, Melbourne, VIC, 3800, Australia. [E-mail: alex.waddell@monash.edu]

well-being contributes to lower employee satisfaction and performance, and may lead to burnout, lower mental well-being and increased mental illness (6). *Burnout* is an occupational phenomenon, rather than a clinical condition, in which chronic workplace stress is not appropriately managed and leads to feelings of exhaustion, feelings of apathy or negative affect toward one's job, and reduced productivity (1). Mental well-being or mental health problems are characterized by changes to a person's ability to think, feel and behave and do not constitute mental illness, but may lead to mental illness. Mental illnesses are diagnosable conditions that significantly affect the functioning of a person and how they think, feel and behave (7).

Mental ill-health is a global challenge, contributing substantially to the global burden of disease (8). Approximately 2.8 million working Australians experience mental ill-health (9). These challenges can impair an individual's ability to attend work or to function effectively when they do attend (10, 11), costing workplaces an estimated \$17 billion (Australian dollars) a year (9). While employment can cause or exacerbate mental ill-health (12), workplaces also have the opportunity to help prevent or mitigate it (13, 14). The Australian Productivity Commission is calling for reforms to "equip workplaces to be mentally healthy" (9). Yet, despite growing recognition of the importance of workplace initiatives, there is insufficient guidance on what works to promote mental health in these settings (15).

Many workplaces have realized the need for investment in workplace mental health programs, especially given the positive return on investment, which is estimated to be a \$2.3 return for every \$1 spent in Australia (16). Connectedness, culture, capability, leadership and policies that focus on enhancing workplace mental health and well-being and address psychosocial risks (eg, inappropriate workload) that can determine poor outcomes can all contribute to the well-being of a workplace (17). A survey of 10 009 Australian workers reported that large organizations (1000–4999 employees) experienced a decline in mental health and well-being from 2020 to 2021 compared to 'huge' workplaces ( $\geq 5000$  employees) in which mental health and well-being remained steady (12). Policy and capability gains were reported to protect huge workplaces from lower mental health and well-being. The declines have been attributed to leadership and connectedness decreasing with remote work and the limited visibility of the implementation of mental health policies, making discussing mental health concerns in the workplace more challenging (17). Thus, it is important to identify effective ways to improve mental health and well-being in these settings by identifying effective interventions and to support those charged in delivering them.

However, considering that knowledge takes many

years to become practice (known as the knowledge-to-practice gap) (18) many organizations require guidance on which interventions they should implement to improve mental health and well-being in the workplace. Workplaces have limited resources to invest in addressing this problem, it is important to determine which interventions are most effective based on the existing research. That is, which interventions influence what outcomes and to what degree (14).

In Australia, workplace managers and human resources (HR) staff are responsible for designing and implementing policies intended to enhance and maintain the mental health and well-being of employees. This suggests that management and HR staff could benefit most from the identification of evidence-based interventions to support workplace mental health and well-being. As such, the aims of this scoping review and evidence map were to: (i) identify, appraise and synthesize research evidence exploring the efficacy of workplace mental health and well-being interventions across a broad spectrum of intervention categories, settings and outcomes; and (ii) display the available research in an interactive and accessible manner for ease of use by practitioners, researchers and other stakeholders.

In this paper, we use the term 'mental well-being' as an all-encompassing reference to the WHO and other definitions outlined above.

## Methods

### Evidence mapping methods

Given the breadth of workplace mental well-being challenges and interventions that may address them, access to an overview of the research field by employees, employers, policymakers and other groups may be helpful. Traditional systematic reviews are not well-suited to this aim because they are designed to explore specific topics in depth (19). For example, a systematic review may aim to establish effectiveness of cognitive behavioral therapy for addressing acute anxiety by finding, appraising and synthesizing all primary studies that have undertaken this evaluation.

Evidence mapping, which is based on established methods of scoping reviews (20), is a preferable approach. Evidence mapping aims to provide an overview of an entire research field (21, 22). Results of evidence mapping are often presented as visual 'evidence maps' representing the research landscape – for example with rows representing interventions, columns representing outcomes and each cell quantifying and characterizing the research relating to each intervention-outcome pair. In our evidence map, each cell's color is

determined by the direction of the evidence from the reviews referenced within that cell. The conclusions of reviews existing within the same cell were considered together to determine the final color of that cell. Review conclusions were either gained through narrative or statistical analysis and were either neutral (no change in outcome = grey), negative (opposite of the desired effect of the intervention = red), positive (intervention had a desirable effect on the outcome = green) or no conclusion (= orange).

These visual evidence maps allow users to quickly digest large amounts of information about the evidence available. Evidence maps carry the dual advantage of illustrating areas in which evidence-based action can be taken as well as where future research is required (23).

The unit of analysis for the evidence map was reviews of workplace mental well-being interventions. A ‘review of reviews’ approach is highly compatible with evidence mapping given the size of the workplace mental well-being field. This method enables literature on a broad array of interventions and health outcomes to be synthesized. Furthermore, overviews of reviews are designed for decision-making audiences including providers, policymakers and informed consumers (24–26).

The evidence mapping approach and underlying review employed best-practice techniques and reporting standards (27). A protocol outlining key review parameters was registered on the Open Science Framework in October 2020 (<https://osf.io/ymzvh>). In summary:

**Question.** An explicit review question was finalized: What is the effectiveness of workplace mental health interventions?

**Search.** A comprehensive search of Ovid Medline and APA PsycInfo from 1 January 2016 to 12 October 2020 and Google Scholar (first 100 citations, sorted by relevance) was undertaken (see supplementary material, URL).

**Selection.** Two authors independently conducted a title / abstract and full text screening against pre-determined inclusion / exclusion criteria. Articles were included if they were systematic reviews, meta-analyses, systematic reviews and meta-analysis, or scoping reviews of workplace mental well-being interventions conducted in countries comparable to Australia since 2016. Countries comparable to Australia exclude those that are non-democratic and/or low- and middle-income countries as defined by the World Bank (28). Reviews that measured changes in outcomes specific to mental health were included (eg, wellbeing) and, provided mental health parameters were measured as outcomes, the interventions could have any component (for full criteria see supplementary material). Across all screening, any dis-

crepancies were discussed until consensus was reached or resolved by a third reviewer

### Quality appraisal

Quality appraisal was undertaken using AMSTAR 2 (29). Two authors independently assessed the quality of included reviews. Reviews scoring  $\geq 50\%$  were deemed high quality. Any discrepancies were discussed until consensus was reached or resolved by a third reviewer.

**Data extraction.** Two authors independently extracted data from the included articles. Data extracted included citation; study (review) type; professional group; direction of evidence; interventions; and outcomes studied.

Interventions studied in the included reviews were iteratively coded according to their descriptions in the reviews under the following broad categories (ie, intervention types were added as they appeared using self-described language used by the review authors): mindfulness / meditation (including relaxation; diet; sleep; exercise; psychological therapies (individual); psychological therapies (group); peer support; pharmacotherapies; physical environmental modifications; organizational modifications; education / information provision; team-building activities; spiritual / religious; arts-based interventions (including music); complementary and alternative therapies (eg, aromatherapy); virtual reality; not described; and mixed (eg, digital health interventions involving multiple components).

A similar approach was used for outcomes: mental well-being; mental illness; absenteeism; burnout / stress reduction; productivity; employee satisfaction; economic outcomes; life purpose and satisfaction; physical health; attitudinal and/or emotional measures; and fatigue.

Occupations were defined using the Australian and New Zealand Standard Industrial Classification (ANZSIC) 2006 [revision 2.0, 2013 (30)].

**Evidence mapping.** The evidence map was designed to enable users to interactively access information across multiple interventions and outcomes. The Tableau data visualization tool was used to render the map (31). Navigation within the evidence map was based on Rayasam et al (32).

## Results

### Study selection

Database searching resulted in the identification of 4795 citations. After removing duplicates, title and abstracts

and full text were screened (figure 1). Additional articles were identified at the full text screening phase through reference screening of review of review articles and were subsequently screened for inclusion. A total of 80 reviews were included and informed the design of the evidence map. The PRISMA extension for Scoping Reviews (PRISMA-ScR) checklist is available as a supplementary document.

### Study characteristics

Of the 80 included reviews, publication years ranged from 2016 to 2020 with the majority of studies published in 2017 (N=18) and 2019 (N=19). The review types included systematic reviews without meta-analyses (N=51), systematic reviews with meta-analyses (N=15), meta-analyses without systematic review (N=9), and scoping reviews (N=5). Professional settings included healthcare and social assistance (N=38), education and training (N=2), and professional, scientific, and technical services (N=1). The remaining reviews were mixed or not stated (N=39). There were 17 intervention options and 12 outcomes reported across all reviews.

### Risk of bias

Sixty-six reviews scored higher than 50% of applicable AMSTAR 2 criteria and were assessed as having low-to-moderate risk of bias. Fourteen reviews fulfilled less than half of the criteria of the tool and thus were assessed as having a moderate-to-high risk of bias. The majority of reviews used systematic review methods and were of high quality for the most researched interventions (mindfulness/meditation, education/information provision and individual psychological therapies). Both high and low quality reviews are included in the evidence map.

### Evidence map

The evidence map comprises 17 intervention types that were designed to influence 12 outcomes [click [here](#) to access]. The interventions with the largest evidence base (ie, number of reviews of the intervention) were mindfulness/meditation (N=45 reviews), education and information provision (N=30 reviews) and individual psychological therapies (N=24 reviews). Interventions with the smallest evidence base were compassion fatigue, virtual reality, pharmacotherapy, stress management, and spiritual/religious interventions (N=1 review each). The most examined outcomes included burnout / stress reduction (N=65 reviews) and mental well-being (N=44 reviews), with the least examined being economic outcomes and absenteeism (N=1 review). It is these interventions and outcomes that will be the focus of the following results synthesis.

The direction of evidence is indicated using color and the size of the circles displays the relative number of reviews contributing to the evidence. The larger the circle, the more evidence there is for the interaction between the intervention and outcome. Links to the published journal articles for each circle are displayed on the right-hand side. Users can filter the rows and columns depending on their needs or interests. Intervention types with the largest evidence base are discussed in text below.

### Interventions


The most commonly reported interventions measured in reviews were mindfulness (N=42 reviews), education and information provision (N=29), and psychological therapies – individual (N=23). These interventions also had the greatest number of high quality reviews, which are presented below (the evidence map includes all interventions and outcomes, from both low and high quality reviews).

#### Mindfulness

Mindfulness interventions had the greatest number (N=34) of reviews reporting high quality positive effects (table 1). Mindfulness is defined as an ‘intentional attentiveness’ to the present moment with openness, acceptance and curiosity (33). Reviews reporting mindfulness interventions examined the effects of these interventions on eleven outcomes (see supplementary material). The positive effect outcomes most reported for mindfulness interventions were for burnout / stress reduction (N=25/27 reviews) and mental well-being (N=15/16 reviews). There were also some reviews reporting ‘no conclusion’ for burnout / stress reduction, mental well-being, mental illness (N=2 each), and attitudinal or emotional measures (N=1). One review found neutral effects for mindfulness on productivity) and no reviews found negative effects.

#### Education and information provision

Education and information provision interventions had the second greatest number of high quality reviews with positive effects (N=22; table 2). Education and information provision were defined as strategies to raise awareness of mental illness and how to manage it in workplaces. The outcomes with the largest evidence base for positive effects were burnout / stress reduction (N=9/12) and mental well-being (N=9/12). However, some reviews reported no conclusion or were neutral in their conclusions on these outcomes (N=3 for burnout / stress reduction, N=3 for mental well-being). No reviews found negative effects.



**Figure 1.** PRISMA flow diagram. \*Of the 152 articles reviewed, N=54 were excluded as the wrong study type, N=12 were excluded as they did not include studies of employees, N=10 were excluded as they were the incorrect intervention type, N=5 were excluded as they did not include the outcome of interest. ^N=9 studies were included after full text review, after screening reference lists of N=4 reviews of reviews.

### Psychological therapies – individual

Psychological therapies were categorized as either group-based or individual (for examples of group-based please see the evidence map [click [here](#) to access]). Examples of individual psychological therapies include cognitive behavioral therapy (CBT) or other therapies not involving pharmacotherapies, including access to employment assistance programs. There were 22 high quality reviews with 20 reporting positive outcomes for psychological therapies (table 3). The majority reported positive outcomes for burnout / stress reduction (N=11/13), mental illness (N=10/12), and mental well-being (N=8/9). Review authors also reported no conclusions for these outcomes, burnout / stress reduction (N=2), mental well-being (N=2), and mental illness (N=1). No reviews found negative effects.

### Outcomes

The most commonly reported outcomes measured in reviews were burnout / stress reduction (N=65 reviews)

and mental well-being (N=44 reviews). Burnout / stress reduction was commonly measured using the Maslach Burnout Inventory (MBI) (34), Professional Quality of Life Scale (ProQOL) questionnaire (35), and Staff Stressor Questionnaire (SSQ) (36). On the other hand, the reporting of well-being was considerably heterogeneous. Well-being is often used interchangeably with other terminology and there is no international consensus on its definition (2–5). Some reviews report studies that measure well-being using validated survey instruments such as the WHO-Five Wellbeing Index (37), SF-12 (38), the World Health Organization Health and Work Performance Questionnaire (HPQ) (39). Others reported researcher created, non-validated measures for well-being.

### Discussion

The aim of this evidence review was to synthesize existing literature on workplace mental well-being interventions. An evidence map was produced to present the 80 reviews that exist on the topic, including the intervention types examined within the reviews and the effects those interventions had on various outcomes related to workplace mental well-being. The evidence map demonstrated that most interventions designed to improve workplace mental well-being involve mindfulness/meditation, education and information provision or individual psychological therapies. Furthermore, these interventions had the most positive effects on burnout / stress reduction and mental well-being. Although the publication year for the inclusion of reviews was from 2016 onwards, the reviews themselves covered much longer time periods. Therefore, the scoping review represented a comprehensive coverage of existing literature in this field. Although the inclusion of reviews published prior to 2016 may have added to the review and evidence map, these reviews would not have encompassed more recent primary studies.

The variety of evidence presented in the map suggests there is a wide range of literature available on this topic. However previous reviews have expressed concern around the lack of available literature specific to intervention effectiveness (13, 14, 40, 41). Knowledge translation, where knowledge obtained by research and presented in the literature is translated for, and delivered to, the populations who use it, has often been an area that is not sufficiently supported, leading to the lack of implementation of research into practice (18).

Effective knowledge translation relies on gaining an understanding of the knowledge that exists, ideally via the identification of high-quality systematic reviews through scoping review methodology, and present the

**Table 1.** High quality reviews of mindfulness and mediation.

Author, year	Review type	Professional group	Direction of evidence	Outcome(s)	Quality* score	Additional interventions studied
Aryankhesal 2019 (49)	Systematic review	Health care and social assistance	Positive effect	Burnout / Stress	7/13	Organisational modifications; Education / information provision; Psychological therapies (individual); Mindfulness / meditation
Bartlett 2019 (50)	Systematic review and Meta-analysis	Mixed / not stated	Positive effect Positive effect Positive effect Positive effect	Burnout / Stress Fatigue Mental Illness Mental Well-being Mental Well-being	14/16	
Brand 2017 (51)	Systematic review	Healthcare and social assistance	Positive effect	Mental Well-being	11/13	Mixed (Mindfulness / meditation; Education / information provision; Team-building activities; Organisational modifications)
Bresesti 2020 (52)	Systematic review	Healthcare and social assistance	Positive effect	Burnout / Stress	8/13	Mindfulness / meditation; Education / information provision; Organisational modifications
Brooks 2018 (46)	Systematic review	Mixed / not stated	No conclusion	Mental Illness	7/13	Psychological therapies (individual); Mindfulness / meditation
Burton 2017 (53)	Systematic review and Meta-analysis	Healthcare and social assistance	Positive effect	Burnout / Stress	9/16	
Busireddy 2017 (47)	Systematic review	Healthcare and social assistance	Positive effect	Burnout / Stress	11/16	Organisational modifications; Mindfulness / meditation
Cocker 2016 (54)	Systematic review	Healthcare and social assistance	No conclusion	Burnout / Stress	7/13	Mindfulness / meditation; Education / information provision; Arts-based interventions; Psychological therapies (group); Brain stimulation (psychological therapies (individual))
Emerson 2017 (55)	Systematic review	Education and training	No conclusion No conclusion No conclusion No conclusion Positive effect	Attitudinal and / or Emotional Measures Burnout / Stress Mental Illness Mental Well-being Attitudinal and / or Emotional Measures	8/13	
Dharmawardene 2016 (56)	Systematic review and Meta-analysis	Healthcare and social assistance	Positive effect Positive effect Positive effect	Attitudinal and / or Emotional Measures Burnout / Stress Mental Illness	10/16	
Dreison 2018 (57)	Meta-analysis	Healthcare and social assistance	Positive effect	Burnout / Stress	10/16	Education / information provision; Mindfulness / meditation; Psychological therapies (individual)
Ghawadra 2019 (58)	Systematic review	Healthcare and social assistance	Positive effect Positive effect Positive effect	Burnout / Stress Employee Satisfaction Mental Illness	9/13	
Gilmartin 2017 (59)	Systematic review	Healthcare and social assistance	Positive effect Positive effect Positive effect Positive effect Neutral Effect	Attitudinal and / or Emotional Measures Burnout / Stress Mental Illness Mental Well-being Productivity	11/13	
Haggman-Laitila 2018 (60)	Systematic review	Healthcare and social assistance	Positive effect Positive effect	Burnout / Stress Mental Well-being	8/13	Mindfulness / meditation; Spiritual / religious
Heckenberg 2018 (61)	Systematic review and Meta-analysis	Mixed / not stated	Positive effect	Burnout / Stress	11/16	
Howarth 2018 (45)	Systematic review	Mixed / not stated	Positive effect Positive effect	Fatigue Productivity	10/13	
Hwang 2017 (62)	Systematic review	Education and training	Positive effect Positive effect Positive effect Positive effect Positive effect	Burnout / Stress Mental Well-being Mental Illness Productivity Fatigue	9/13	
Ivancic 2017 (63)	Systematic review	Mixed / not stated	No Conclusion	Mental well-being	8/13	Mindfulness / meditation; Education / information provision
Janssen 2018 (64)	Systematic review	Mixed / not stated	Positive effect Positive effect Positive effect Positive effect Positive effect	Attitudinal and / or Emotional Measures Burnout / Stress Fatigue Mental Illness Mental Well-being	9/13	
Kunzler 2020 (... professionals) (65)	Systematic review	Healthcare and social assistance	Positive effect Positive effect Positive effect	Burnout / Stress Mental Illness Mental Well-being	16/16	Psychological therapies (group), Mindfulness / meditation; Psychological therapies (individual)
Kunzler 2020 (... students) (66)	Systematic review	Healthcare and social assistance	Positive effect Positive effect Positive effect	Burnout / Stress Mental Illness Mental Well-being	16/16	Psychological therapies (group), Mindfulness / meditation; Psychological therapies (individual)
Lee 2016 (67)	Meta-analysis	Healthcare and social assistance	Positive effect	Burnout / Stress	11/16	Psychological therapies (group); Education / information provision; Mindfulness / meditation; Peer support
Lomas 2019 (68)	Systematic review and Meta-analysis	Mixed / not stated	Positive effect Positive effect Positive effect Positive effect	Attitudinal and / or Emotional Measures Burnout / Stress Mental Well-being Productivity	11/16	
Luken 2016 (69)	Systematic review	Mixed / not stated	Positive effect	Burnout / Stress	8/13	

Continues

Table 1. continues

Author, year	Review type	Professional group	Direction of evidence	Outcome(s)	Quality* score	Additional interventions studied
Murray 2016 (70)	Systematic review	Healthcare and social assistance	Positive effect Positive effect	Mental Illness Mental Well-being	11/13	Psychological therapies (individual); Education / Information provision; Mindfulness / meditation
Panagioti 2017 (71)	Meta-analysis	Healthcare and social assistance	Positive effect	Burnout / Stress	12/16	Mindfulness / meditation; Education / information provision; Exercise; Organisational modifications
Ryan 2017 (72)	Scoping review	Mixed / not stated	Positive effect Positive effect Positive effect	Burnout / Stress Mental Well-being Fatigue	7/13	
Soprovich 2020 (73)	Systematic review	Mixed / not stated	Positive effect	Fatigue	8/13	Exercise; Mindfulness / meditation; Education / Information provision
Stanulewicz 2019 (74)	Systematic review	Healthcare and social assistance	Positive effect Positive effect Positive effect Positive effect	Burnout / Stress Mental Well-being Physical Health Productivity	11/13	Exercise; Mindfulness / meditation; Education / Information provision
Suleiman-Martos 2020 (75)	Systematic review and meta-analysis	Healthcare and social assistance	Positive effect Positive effect Positive effect	Attitudinal and / or Emotional Measures Burnout / Stress Life Purpose and Satisfaction	11/16	
Trowbridge 2016 (76)	Systematic review	Healthcare and social assistance	Positive effect	Attitudinal and / or Emotional Measures	7/13	
Vega-Escano 2020 (77)	Systematic review and Meta-analysis	Mixed / not stated	Positive effect Positive effect	Productivity Fatigue	13/16	Psychological therapies (group); Mindfulness / meditation; Psychological therapies (individual)
Verbeek 2019 (78)	Scoping review	Mixed / not stated	Positive effect	Fatigue	7/13	Psychological therapies (group); Psychological therapies (individual)
West 2016 (79)	Meta-analysis	Healthcare and social assistance	Positive effect	Burnout / Stress	13/16	Organisational modifications; Education / information provision; Mindfulness / meditation
Wild 2020 (80)	Systematic review	Healthcare and social assistance	Positive effect Positive effect Positive effect	Mental Illness; Mental Well-being Physical Health	10/13	Mindfulness / meditation; Psychological therapies (individual); Psychological therapies (group); Exercise; Education / Information provision
Williams 2018 (81)	Systematic review	Healthcare and social assistance	Positive effect Positive effect Positive effect Positive effect	Burnout / Stress Mental Illness Mental Well-being Physical Health	8/13	Team building; Exercise, Mindfulness / meditation; Psychological therapies (individual); Psychological therapies (group)
Xu 2020 (82)	Systematic review	Healthcare and social assistance	Positive effect Positive effect Positive effect Positive effect	Attitudinal and / or Emotional Measures Burnout / Stress Fatigue Mental Illness	15/16	

\* Quality of review refers to the quality assessed by two reviewers using AMSTAR 2.

findings of these reviews in a simple-to-understand and apply way (eg, in an evidence map) (18). Importantly, the evidence must be presented in a practical and useful way to those who can make change. In the case of workplace mental well-being programs, this includes those who fund, design and implement the evidence-based interventions within workplaces. It is potentially here where the connection between research and practice has been lost in the area of workplace mental well-being programs, suggesting that new methods, such as evidence mapping, are needed to support the use of evidence-based interventions in the workplace.

Three intervention types that have been largely researched (mindfulness, education and information provision and individual psychological therapies) all had positive effects for burnout / stress reduction. This suggests that workplaces can choose these interventions to deliver in the workplace and hope for improved burnout / stress in the employees who participate. Having the freedom to choose from several interventions is another

way to ensure the intervention fits within the workplace. However, although reducing burnout / stress might be an outcome of integrating one of the three interventions in the workplace, addressing the contributing organizational and system-level factors to burnout / stress (such as inappropriate workload, poor management support and low recognition) that are unique to the workplace is necessary to truly ensure a thriving workplace when it comes to mental well-being (17). In this case, it would be necessary for workplaces to generate specific interventions that address the contextual factors contributing to burnout / stress within their workplace (42).

There are numerous ways for workplaces to address mental health that stem from multiple theoretical backgrounds including psychology, public health, and medicine. LaMontagne and colleagues (43) argue that interventions to increase mental health in the workplace should prevent harm and promote the positive aspects of work (such as promoting positive leadership practices) in order to optimize prevention and effectively manage

**Table 2.** High quality reviews of education and information provision.

Author, year	Review type	Professional group	Direction of evidence	Outcome(s)	Quality* score	Additional interventions studied
Aryankhesal 2019 (49)	Systematic review	Health care and social assistance	Positive effect	Burnout / Stress	7/13	Organisational modifications; Psychological therapies (individual); Mindfulness / meditation
Brand 2017 (51)	Systematic review	Health care and social assistance	Positive effect	Mental Well-being	11/13	Mixed (Mindfulness / meditation; Team-building activities; Organisational modifications)
Breseti 2020 (52)	Systematic review	Health care and social assistance	Positive effect	Burnout / Stress	8/13	Mindfulness / meditation; Organisational modifications
Brooks 2018 (46)	Systematic review	Mixed / not stated	Positive effect	Attitudinal and / or Emotional Measures	7/13	Psychological therapies (individual); Mindfulness / meditation
Busireddy 2017 (47)	Systematic review	Health care and social assistance	Positive effect	Attitudinal and / or Emotional Measures	11/16	Organisational modifications; Mindfulness / meditation
Cocker 2016 (54)	Systematic review	Healthcare and social assistance	No conclusions	Burnout / Stress	7/13	Mindfulness / meditation; Arts-based interventions; Psychological therapies (group); Brain stimulation (psychological therapies (individual))
Daniels 2017 (83)	Systematic review	Mixed / not stated	Positive effect	Mental Well-Being	9/13	
Dreison 2018 (57)	Meta-analysis	Health care and social assistance	Positive effect	Burnout / Stress	10/16	Mindfulness / meditation; Psychological therapies (individual)
Gayed 2018 (84)	Systematic review and meta-analysis	Mixed / not stated	Positive effect	Attitudinal and / or Emotional Measures	11/16	
Haggman-Laitila 2018 (60)	Systematic review	Health care and social assistance	Neutral effect Positive effect Positive effect Positive effect	Mental well-Being Fatigue Mental Illness Attitudinal and / or Emotional Measures	8/13	Mindfulness / meditation; Spiritual / religious;
Hill 2016 (85)	Systematic review	Health care and social assistance	Positive effect No conclusions No conclusions No conclusions	Burnout / Stress Mental Illness Mental Well-Being Fatigue	9/13	Psychological therapies (individual); Psychological therapies (group)
Howarth 2018 (45)	Systematic review	Mixed / not stated	Positive effect Positive effect Positive effect	Mental Well-Being Mental Illness Attitudinal and / or Emotional Measures	10/13	Psychological therapies (individual); Mindfulness / meditation
Ivancic 2017 (63)	Systematic review	Mixed / not stated	Positive effect	Productivity		
Kuster 2017 (86)	Systematic review	Mixed / not stated	No conclusions	Employee Satisfaction	8/13	Mindfulness / meditation
Lee 2016 (67)	Meta-analysis	Healthcare and social assistance	No conclusions Positive effect	Mental Well-Being Burnout / Stress	12/13 11/16	Psychological therapies (group); Mindfulness / meditation; Peer support
Murray 2016 (70)	Systematic review	Healthcare and social assistance	Positive effect	Mental Illness	11/13	Psychological therapies (individual); Mindfulness / meditation
Nigatu 2019 (87)	Systematic review and Meta-analysis	Mixed / not stated	Positive effect	Mental Well-Being Mental Illness	11/16	Psychological therapies (individual); Psychological therapies (group); Exercise
Panagiotti 2017 (71)	Meta-analysis	Healthcare and social assistance	Positive effect	Burnout / Stress	12/16	Mindfulness / meditation; Exercise; Organisational modifications
Soprovich 2020 (73)	Systematic review	Mixed / not stated	Positive effect	Fatigue	8/13	Exercise; Mindfulness / meditation
Stanulewicz 2019 (74)	Systematic review	Healthcare and social assistance	Positive effect Positive effect Positive effect	Mental Well-Being Burnout / Stress Productivity	11/13	Exercise; Mindfulness / meditation
Stuber 2020 (88)	Systematic review	Healthcare and social assistance	Positive effect Positive effect	Physical Health Mental Well-Being Mental Illness	9/13	
Webster 2020 (89)	Scoping Review	Healthcare and social assistance	Positive effect	Mental Well-Being	7/13	Peer support; team building activities
West 2016 (79)	Meta-analysis	Healthcare and social assistance	Positive effect	Burnout / Stress	13/16	Organisational modifications; Mindfulness / meditation
Wild 2020 (80)	Systematic review	Healthcare and social assistance	Positive effect Positive effect	Mental Illness Mental Well-Being Physical Health	10/13	Mindfulness / meditation; Psychological therapies (individual); Psychological therapies (group); Exercise
Xu 2020 (82)	Systematic review	Healthcare and social assistance	Positive effect Positive effect Positive effect	Burnout / Stress Attitudinal and / or Emotional Measures Fatigue Mental Illness	15/16	Mindfulness / meditation; Psychological therapies (individual); Psychological therapies (group); Organisational modifications; Physical environmental modifications; Pharmacotherapies

\*Quality of review refers to the quality assessed by two reviewers using AMSTAR 2.



**Table 3.** High quality reviews of psychological therapies.

Author, year	Review type	Professional group	Direction of Evidence	Outcome(s)	Quality* score	Additional interventions studied
Aryankhesal 2019 (49)	Systematic review	Health care and social assistance	Positive effect	Burnout / Stress	7/13	Organisational modifications; Education / information provision; Mindfulness / meditation; Team-building activities; Peer support; Mindfulness / meditation
Bellon 2019 (90)	Systematic review and meta-analysis	Mixed / not stated	Positive effect	Mental Illness	14/16	
Brooks 2018 (46)	Systematic review	Mixed / not stated	No conclusions	Mental Illness	7/13	Education / information provision; Mindfulness / meditation
Carolan 2017 (91)	Systematic review and Mmeta-analysis	Mixed / not stated	Positive effect	Mental Well-Being	12/16	
Cocker 2016 (54)	Systematic review	Healthcare and social assistance	Positive effect No conclusions	Productivity Burnout / Stress	7/13	Mindfulness / meditation; Arts-based interventions; Brain stimulation (psychological therapies (individual)); Education / Information provision
Dreison 2018 (57)	Meta-analysis	Health care and social assistance	Positive effect	Burnout / Stress	10/16	Education / information provision; Mindfulness / meditation
Hill 2016 (85)	Systematic review	Health care and social assistance	No conclusions No conclusions No conclusions	Burnout / Stress Mental Illness Mental Well-Being	9/13	Education / information provision
Howarth 2018 (45)	Systematic review	Mixed / not stated	No conclusions Positive effect	Fatigue Fatigue	10/13	Education / information provision; Mindfulness / meditation
Kunzler 2020 (...professionals) (65)	Systematic review	Healthcare and social assistance	Positive effect Positive effect	Mental Well-Being Mental Illness	16/16	Mindfulness / meditation
Kunzler 2020 (...students) (66)	Systematic review	Healthcare and social assistance	Positive effect Positive effect	Mental Well-Being Mental Illness	16/16	Mindfulness / meditation
Maricutoiu 2016 (92)	Meta-analysis	Mixed / not stated	Positive effect	Burnout / Stress	10/16	Mixed
Murray 2016 (70)	Systematic review	Healthcare and social assistance	Positive effect	Mental Illness	10/16	Education / Information provision; Mindfulness / meditation
Nigatu 2019 (87)	Meta-analysis	Mixed / not stated	Positive effect	Mental Well-Being Mental Illness	11/16	Exercise; Education / Information provision
Reeve 2018 (93)	Systematic review and meta-analysis	Healthcare and social assistance	Positive effect	Burnout / Stress	10/16	
Romppanen 2017 (94)	Systematic review	Healthcare and social assistance	Positive effect	Mental Well-Being	8/13	
Ryan 2017 (72)	Scoping review	Mixed / Not stated	Positive effect Positive effect	Burnout / Stress Mental Well-Being	7/13	Mindfulness / meditation
Slemp 2019 (95)	Meta-analysis	Mixed / not stated	Positive effect Positive effect	Burnout / Stress Mental Illness	9/16	
Vega-Escano 2020 (77)	Systematic review and meta-analysis	Mixed / not stated	Positive effect	Fatigue	13/16	Mindfulness / meditation;
Verbeek 2019 (78)	Scoping review	Mixed / not stated	Positive effect	Implementation	7/13	Mindfulness / meditation; Exercise; Organisational modifications
Wild 2020 (80)	Systematic review	Healthcare and social assistance	Positive effect Positive effect	Mental Illness Mental Well-Being	10/13	Mindfulness / meditation; Exercise; Education / Information provision
Williams 2018 (81)	Systematic review	Healthcare and social assistance	Positive effect Positive effect Positive effect	Physical Health Mental Illness Mental Well-Being	8/13	Team building; Exercise, Mindfulness / meditation
Xu 2020 (82)	Systematic review	Healthcare and social assistance	Positive effect Positive effect Positive effect	Burnout / Stress Attitudinal and / or Emotional Measures Fatigue Mental Illness	15/16	Mindfulness / meditation; Organisational modifications; Physical environmental modifications; Pharmacotherapies; Education / Information provision

\*Quality of review refers to the quality assessed by two reviewers using AMSTAR 2.

mental health. This leaves workplace managers and HR representatives a difficult task in assessing a large and complex literature about what does and does not work for their specific needs; they need reliable, clear and interpretable evidence to guide their work.

The use of both scoping review and evidence mapping methods in this study was a strength as the methods provide workplace and policy decision-makers with a large amount of evidence, interprets it for them and provides practical insights to assist them in implementing evidence-based interventions (22). Scoping reviews have a wider breadth than a traditional systematic review focusing on one intervention, as they are designed to examine the extent, range and nature of research activity and identify research gaps (20). We extended scoping review methods by undertaking quality appraisal of the included reviews and highlighting the areas in which there was high-quality review-level research evidence. This allowed us to make some conclusions about specific interventions and outcomes as well as paint a broad picture of research activity. In order to support the translation of theory into practice and policy, stakeholders need to be able to easily access high quality evidence (18, 44). This review aids this translation by providing an evidence map presenting an overview of the review level evidence. Additionally, it highlights the evidence gaps in the literature, supporting researchers who actively seek to improve the evidence in this area (22).

A weakness of this study lies in the inclusion of 80 reviews. Although identifying many relevant reviews is a strength, the heterogeneity of the reviews' aims and interventions reduces the ability to confidently conclude on the most effective workplace mental well-being interventions for particular outcomes. This could be due to the broad inclusion criteria that focuses on both interventions and outcomes of review level evidence. In addition, well-being does not have a globally-recognized definition, and continues to be used interchangeably across primary and review level evidence (2–5). This additional heterogeneity makes it difficult to measure the overall effectiveness of interventions at the level of a scoping review. For this reason, we propose that the review and evidence map be considered a first step for employers, clinicians and researchers in identifying areas of relatively high and low research evidence. We do not propose that workplaces initiate interventions solely on the basis of the scoping review and evidence map; rather, the map is designed to reduce the risk of investing in areas in which there is little or no review-level evidence, and encourage consideration of interventions that have a stronger evidence base. Having identified evidence-based intervention areas using the map, the next step should be consultation with expert clinicians and practitioners to identify specific workplace needs, tailor interventions appropriately and

evaluate outcomes. Ideally, this should be undertaken in collaboration with researchers in order to continue to build the evidence base.

A further gap in the identified literature was the examination of economic outcomes. Given the focus on the workplace setting, there is a clear need to evaluate the effectiveness of interventions on workplace productivity and other economic measures. Reducing the impact of mental illness on individuals should be the primary aim of all mental wellbeing interventions; however, economic data is also critical for leveraging investment in mental wellbeing from both industry and government.

Likewise, the intervention components, dose and delivery varied across reviews. For example, education and information were provided using digital and non-digital mediums. Digital channels included websites containing health information, SMS and smart phone applications (45). Non-digital interventions were delivered face-to-face via workshops and training or through paper-based mediums (46, 47). While for mindfulness, dosage varied across interventions from 10-minute self-guided practice to 25-minute daily practice face-to-face over eight weeks (48). However, this is an accepted drawback of the evidence map method, where the purpose of the map is to accurately outline the current status of evidence regardless of how it is presented (22). Future research should look to fill the evidence gap for the return on investment of workplace mental well-being interventions, specifically high quality economic evaluations. Return on investment is a crucial factor to convince businesses of the value of mental well-being interventions.

### Concluding remarks

The evidence-base for workplace mental well-being programs is broad in both the intervention types tested and the outcomes examined. Eighty reviews that mostly covered interventions related to mindfulness, education and information provision and individual psychological therapies were identified. The reviews examined the effects of these interventions on several outcomes, mostly burnout / stress reduction and mental illness and mental well-being. Research suggests there is a gap between knowledge and practice, that is, research takes many years to be implemented in practice. This gap presents several challenges to implementing mental well-being interventions in the workplace, including understanding which intervention has the highest quality evidence underpinning it, and deciding which will present the best return on investment. Finally, while improving the translation of tested interventions into practice, all interventions must be resilient enough to maintain effectiveness while having individual components changed to suit the targeted workplace.

## Acknowledgement of financial material support

Funding was provided by Monash University internal funding. The funder played no additional role besides funding (ie, did not play a role in study design, data collection, analysis or writing).

## Conflicts of interest

The authors declare no conflicts of interest.

## References

- World Health Organization. Mental health: strengthening our response [Internet]. 2018. Available from: <https://www.who.int/news-room/fact-sheets/detail/mental-health-strengthening-our-response>.
- Felce D, Perry J. Quality of life: its definition and measurement. *Res Dev Disabil* 1995;16(1):51–74. [https://doi.org/10.1016/0891-4222\(94\)00028-8](https://doi.org/10.1016/0891-4222(94)00028-8).
- Simons G, Baldwin DS. A critical review of the definition of ‘wellbeing’ for doctors and their patients in a post Covid-19 era. *Int J Soc Psychiatry*. 2021 Dec;67(8):984–91. <https://doi.org/10.1177/00207640211032259>.
- Gable SL, Haidt J. What (and why) is positive psychology? *Rev Gen Psychol* 2005 Jun;9(2):103–10. <https://doi.org/10.1037/1089-2680.9.2.103>.
- Gill TM, Feinstein AR. A critical appraisal of the quality of quality-of-life measurements. *JAMA* 1994 Aug;272(8):619–26. <https://doi.org/10.1001/jama.1994.03520080061045>.
- Harvey SB, Joyce MS, Tan L, Johnson A, Nguyen H, Modini MM, et al. Developing a mentally healthy workplace: A review of the literature A report for the National Mental Health Commission and the Mentally Healthy Workplace Alliance. 2014.
- Australian Government Department of Health. About mental health [Internet]. Health Topics. 2022. Available from: <https://www.health.gov.au/health-topics/mental-health-and-suicide-prevention/about-mental-health#what-mental-health-is>.
- Patel V, Saxena S, Lund C, Thornicroft G, Baingana F, Bolton P et al. The Lancet Commission on global mental health and sustainable development Executive summary. *The Lancet Commissions* 2018; 392 (10157). Available from: [https://doi.org/10.1016/S0140-6736\(18\)31612-X](https://doi.org/10.1016/S0140-6736(18)31612-X).
- Productivity Commission. Productivity Commission Inquiry Report. Canberra; 2020.
- Bubonya M, Cobb-Clark DA, Wooden M. Mental health and productivity at work: does what you do matter? *Labour Econ* 2017 Jun;46:150–65. <https://doi.org/10.1016/j.labeco.2017.05.001>.
- Kessler RC, Akiskal HS, Ames M, Birnbaum H, Greenberg P, Hirschfeld RM et al. Prevalence and effects of mood disorders on work performance in a nationally representative sample of U.S. workers. *Am J Psychiatry* 2006 Sep;163(9):1561–8. <https://doi.org/10.1176/ajp.2006.163.9.1561>.
- Quick JC, Henderson DF. Occupational Stress: Preventing Suffering, Enhancing Wellbeing. *Int J Environ Res Public Health* 2016 Apr;13(5):459. <https://doi.org/10.3390/ijerph13050459>.
- Proper KI, van Oostrom SH. The effectiveness of workplace health promotion interventions on physical and mental health outcomes - a systematic review of reviews. *Scand J Work Environ Health* 2019 Nov;45(6):546–59. <https://doi.org/10.5271/sjweh.3833>.
- Wagner SL, Koehn C, White MI, Harder HG, Schultz IZ, Williams-Whitt K et al. Mental Health Interventions in the Workplace and Work Outcomes: A Best-Evidence Synthesis of Systematic Reviews. *Int J Occup Environ Med* 2016 Jan;7(1):1–14. <https://doi.org/10.15171/ijoom.2016.607>.
- Roodbari H, Axtell C, Nielsen K, Sorensen G. Organizational interventions to improve employees’ health and wellbeing: A realist synthesis. *Appl Psychol* 2021.
- PwC. Creating a mentally healthy workplace Return on investment analysis [Internet]. 2014. Available from: [www.pwc.com.au](http://www.pwc.com.au).
- Superfriend. Indicators of a Thriving Workplace: National Report 2021 [Internet]. Melbourne; 2021. Available from: <https://itw2021.superfriend.com.au/>.
- Grimshaw JM, Eccles MP, Lavis JN, Hill SJ, Squires JE. Knowledge translation of research findings. *Implement Sci* 2012 May;7(1):50. <https://doi.org/10.1186/1748-5908-7-50>.
- Greenhalgh T. Papers that summarise other papers (systematic reviews and meta-analyses). *BMJ* 1997 Sep;315(7109):672–5. <https://doi.org/10.1136/bmj.315.7109.672>.
- Arksey H, O’Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol* 2007 Feb;8(1):19–32. <https://doi.org/10.1080/1364557032000119616>.
- Bragge P, Clavisi O, Turner T, Tavender E, Collie A, Gruen RL. The Global Evidence Mapping Initiative: Scoping research in broad topic areas. *BMC Med Res Methodol*. 2011 Jun 17;11:92. <https://doi.org/10.1186/1471-2288-11-92>.
- Miake-Lye IM, Hempel S, Shanman R, Shekelle PG. What is an evidence map? A systematic review of published evidence maps and their definitions, methods, and products. *Syst Rev* 2016 Feb;5(1):28. <https://doi.org/10.1186/s13643-016-0204-x>.
- Snilstveit B, Vojtkova M, Bhavsar A, Stevenson J, Gaarder M. Evidence & Gap Maps: A tool for promoting evidence informed policy and strategic research agendas. *J Clin Epidemiol*. 2016 Nov;79:120–9. <https://doi.org/10.1016/j.jclinepi.2016.05.015>.
- Pollock M, Fernandes R, Becker L, Pieper D, Hartling L. Chapter V. Overviews of Reviews. In: *Cochrane Handbook for Systematic Reviews of Interventions* version 63 (updated February 2022) [Internet]. Cochrane; 2022. Available from:

- <https://training.cochrane.org/handbook/current/chapter-v>.
25. Gates M, Gates A, Guitard S, Pollock M, Hartling L. Guidance for overviews of reviews continues to accumulate, but important challenges remain: a scoping review. *Syst Rev* 2020 Nov;9(1):254. <https://doi.org/10.1186/s13643-020-01509-0>.
  26. Khangura S, Konnyu K, Cushman R, Grimshaw J, Moher D. Evidence summaries: the evolution of a rapid review approach. *Syst Rev* 2012 Feb;1:10. <https://doi.org/10.1186/2046-4053-1-10>.
  27. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021 Mar;372:n71. <https://doi.org/10.1136/bmj.n71>.
  28. World Bank. World Bank Country and Lending Groups [Internet]. the World Bank. 2022. Available from: <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519-world-bank-country-and-lending-groups>.
  29. Shea BJ, Reeves BC, Wells G, Thuku M, Hamel C, Moran J et al. AMSTAR 2: a critical appraisal tool for systematic reviews that include randomised or non-randomised studies of healthcare interventions, or both. *BMJ* 2017 Sep;358:j4008. <https://doi.org/10.1136/bmj.j4008>.
  30. Austrian Bureau of Statistics. Australian and New Zealand Standard Industrial Classification (ANZSIC) 2006 Revision 2.0. 2013.
  31. Tableau Public [Internet]. Sydney: Salesforce; 2022. Available from: <https://public.tableau.com/en-us/s/>.
  32. Rayasam SD, Aung MT, Cooper C, Kwiatkowski C, Germolec DR, Rooney AA et al. Identifying environmental factors that influence immune response to SARS-CoV-2: systematic evidence map protocol. *Environ Int* 2022 Jun;164:107230. <https://doi.org/10.1016/j.envint.2022.107230>.
  33. Kabat-Zinn J. *Wherever you go, There you are: Mindfulness meditation in Every-day Life*. Hyperion. New York, New York, USA: Hyperion; 1994.
  34. Maslach C, Jackson SE, Leiter MP. *Maslach Burnout Inventory: Third edition. Evaluating stress: A book of resources*. 1997.
  35. Stamm BH. *The concise ProQOL manual 2010* [Internet]. Available from: <http://proqol.org>.
  36. Hatton C, Rivers M, Mason H, Mason L, Kiernan C, Emerson E et al. Staff stressors and staff outcomes in services for adults with intellectual disabilities: the Staff Stressor Questionnaire. *Res Dev Disabil* 1999;20(4):269–85. [https://doi.org/10.1016/S0891-4222\(99\)00009-8](https://doi.org/10.1016/S0891-4222(99)00009-8).
  37. World Health Organisation. *Wellbeing Measures in Primary Health Care/ The Depcare Project*. Rep a WHO Meet. 1998
  38. RAND. 12-Item Short Form Survey (SF-12) | RAND [Internet]. Available from: [https://www.rand.org/health-care/surveys\\_tools/mos/12-item-short-form.html](https://www.rand.org/health-care/surveys_tools/mos/12-item-short-form.html).
  39. Kessler RC, Barber C, Beck A, Berglund P, Cleary PD, McKeas D et al. The World Health Organization Health and Work Performance Questionnaire (HPQ). *J Occup Environ Med* 2003 Feb;45(2):156–74. <https://doi.org/10.1097/01.jom.0000052967.43131.51>.
  40. Pieper C, Schröder S, Eilerts AL. Evidence of Workplace Interventions-A Systematic Review of Systematic Reviews. *Int J Environ Res Public Health* 2019 Sep;16(19):3553. <https://doi.org/10.3390/ijerph16193553>.
  41. Jacobs S, Johnson S, Hassell K. Managing workplace stress in community pharmacy organisations: lessons from a review of the wider stress management and prevention literature. *Int J Pharm Pract* 2018 Feb;26(1):28–38. <https://doi.org/10.1111/ijpp.12360>.
  42. Nielsen K, Abildgaard JS. Organizational interventions: A research-based framework for the evaluation of both process and effects. *Work Stress* 2013 Jul;27(3):278–97. <https://doi.org/10.1080/02678373.2013.812358>.
  43. LaMontagne AD, Martin A, Page KM, Reavley NJ, Noblet AJ, Milner AJ et al. Workplace mental health: developing an integrated intervention approach. *BMC Psychiatry* 2014 May;14(1):131. <https://doi.org/10.1186/1471-244X-14-131>
  44. Gavine A, MacGillivray S, Ross-Davie M, Campbell K, White L, Renfrew M. Maximising the availability and use of high-quality evidence for policymaking: collaborative, targeted and efficient evidence reviews. *Palgrave Commun* 2018;4(1):5. <https://doi.org/10.1057/s41599-017-0054-8>.
  45. Howarth A, Quesada J, Silva J, Judycki S, Mills PR. The impact of digital health interventions on health-related outcomes in the workplace: A systematic review. *Digit Health* 2018 May;4:2055207618770861. <https://doi.org/10.1177/2055207618770861>.
  46. Brooks SK, Dunn R, Amlôt R, Greenberg N, Rubin GJ. Training and post-disaster interventions for the psychological impacts on disaster-exposed employees: a systematic review. *J Ment Heal*. 2018 Feb 15;1–25.
  47. Busireddy KR, Miller JA, Ellison K, Ren V, Qayyum R, Panda M. Efficacy of Interventions to Reduce Resident Physician Burnout: A Systematic Review. *J Grad Med Educ* 2017 Jun;9(3):294–301. <https://doi.org/10.4300/JGME-D-16-00372.1>.
  48. Bartlett L, Martin A, Neil AL, Memish K, Otahal P, Kilpatrick M et al. A systematic review and meta-analysis of workplace mindfulness training randomized controlled trials. *J Occup Health Psychol* 2019 Feb;24(1):108–26. <https://doi.org/10.1037/ocp0000146>.
  49. Aryankhesal A, Mohammadibakhsh R, Hamidi Y, Alidoost S, Behzadifar M, Sohrabi R et al. Interventions on reducing burnout in physicians and nurses: A systematic review. *Med J Islam Repub Iran* 2019 Jul;33(77):77. <https://doi.org/10.47176/mjiri.33.77>.
  50. Bartlett L, Martin A, Neil AL, Memish K, Otahal P, Kilpatrick M et al. A systematic review and meta-analysis of workplace mindfulness training randomized controlled trials. *J Occup Health Psychol* 2019 Feb;24(1):108–26. <https://doi.org/10.1037/ocp0000146>.
  51. Brand SL, Coon JT, Fleming LE, Carroll L, Bethel A, Wyatt K. Whole-system approaches to improving the health and wellbeing of healthcare workers: A systematic review. *PLoS One*. 2017 Dec 4;12(12):e0188418. <https://doi.org/10.1371/jom.0000052967.43131.51>.

- journal.pone.0188418.
52. Bresesti I, Folgori L, De Bartolo P. Interventions to reduce occupational stress and burn out within neonatal intensive care units: A systematic review. *Occup Environ Med.* 2020 Aug;77(8):515-9. <https://doi.org/10.1136/oemed-2019-106256>.
  53. Burton A, Burgess C, Dean S, Koutsopoulou GZ, Hugh-Jones S. How Effective are Mindfulness-Based Interventions for Reducing Stress Among Healthcare Professionals? A Systematic Review and Meta-Analysis. *Stress Health.* 2017 Feb;33(1):3-13. <https://doi.org/10.1002/smi.2673>.
  54. Cocker F, Joss N. Compassion fatigue among healthcare, emergency and community service workers: A systematic review. *Int J Environ Res Public Health* 2016 Jun;13(6):1–18. <https://doi.org/10.3390/ijerph13060618>.
  55. Emerson LM, Leyland A, Hudson K, Rowse G, Hanley P, Hugh-Jones S. Teaching Mindfulness to Teachers: a Systematic Review and Narrative Synthesis. *Mindfulness* 2017;8(5):1136–49. <https://doi.org/10.1007/s12671-017-0691-4>.
  56. Dharmawardene M, Givens J, Wachholtz A, Makowski S, Tjia J. A systematic review and metaanalysis of meditative interventions for informal caregivers and health professionals. *BMJ Support Palliat Care.* 2016 Jun;6(2):160-9. <https://doi.org/10.1136/bmjspcare-2014-000819>.
  57. Dreison KC, Luther L, Bonfils KA, Sliter MT, McGrew JH, Salyers MP. Job burnout in mental health providers: A meta-analysis of 35 years of intervention research. *J Occup Health Psychol* 2018 Jan;23(1):18–30. <https://doi.org/10.1037/ocp0000047>.
  58. Ghawadra SF, Abdullah KL, Choo WY, Phang CK. Mindfulness-based stress reduction for psychological distress among nurses: A systematic review. *J Clin Nurs.* 2019 Nov;28(21-22):3747–58. <https://doi.org/10.1111/jocn.14987>.
  59. Gilmartin H, Goyal A, Hamati MC, Mann J, Saint S, Chopra V. Brief Mindfulness Practices for Healthcare Providers – A Systematic Literature Review. *Am J Med.* 2017 Oct;130(10):1219.e1–e17. <https://doi.org/10.1016/j.amjmed.2017.05.041>.
  60. Häggman-Laitila A, Romppanen J. Outcomes of interventions for nurse leaders' well-being at work: A quantitative systematic review. *J Adv Nurs.* 2018 Jan;74(1):34–44. <https://doi.org/10.1111/jan.13406>.
  61. Heckenberg RA, Eddy P, Kent S, Wright BJ. Do workplace-based mindfulness meditation programs improve physiological indices of stress? A systematic review and meta-analysis. *J Psychosom Res.* 2018 Nov;114:62–71. <https://doi.org/10.1016/j.jpsychores.2018.09.010>.
  62. Hwang YS, Bartlett B, Greben M, Hand K. A systematic review of mindfulness interventions for in-service teachers: A tool to enhance teacher wellbeing and performance. *Teach Teach Educ* 2017;64:26–42. <https://doi.org/10.1016/j.tate.2017.01.015>.
  63. Ivandic I, Freeman A, Birner U, Nowak D, Sabariego C. A systematic review of brief mental health and well-being interventions in organizational settings. *Scand J Work Environ Health.* 2017 Mar 1;43(2):99–108. <https://doi.org/10.5271/sjweh.3616>.
  64. Janssen M, Heerkens Y, Kuijer W, Van Der Heijden B, Engels J. Effects of mindfulness-based stress reduction on employees' mental health: A systematic review. *PLoS One.* 2018 Jan 24;13(1):e0191332. <https://doi.org/10.1371/journal.pone.0191332>.
  65. Kunzler AM, Helmreich I, Chmitorz A, König J, Binder H, Wessa M et al. Psychological interventions to foster resilience in healthcare professionals. *Cochrane Database Syst Rev.* 2020 Jul 5;7(7):CD012527. <https://doi.org/10.1002/14651858.CD012527.pub2>.
  66. Kunzler AM, Helmreich I, König J, Chmitorz A, Wessa M, Binder H, et al. Psychological interventions to foster resilience in healthcare students. *Cochrane Database Syst Rev.* 2020 Jul 20;7(7):CD013684. <https://doi.org/10.1002/14651858.CD013684>.
  67. Lee HF, Kuo CC, Chien TW, Wang YR. A Meta-Analysis of the Effects of Coping Strategies on Reducing Nurse Burnout. *Appl Nurs Res* 2016 Aug;31:100–10. <https://doi.org/10.1016/j.apnr.2016.01.001>.
  68. Lomas T, Medina JC, Ivtzan I, Rupprecht S, Eiroa-Orosa FJ. Mindfulness-based interventions in the workplace: an inclusive systematic review and meta-analysis of their impact upon wellbeing. *J Posit Psychol* 2019 Sep;14(5):625–40. <https://doi.org/10.1080/17439760.2018.1519588>.
  69. Luken M, Sammons A. Systematic Review of Mindfulness Practice for Reducing Job Burnout. *Am J Occup Ther* 2016;70(2):p1. <https://doi.org/10.5014/ajot.2016.016956>.
  70. Murray M, Murray L, Donnelly M. Systematic review of interventions to improve the psychological well-being of general practitioners. *BMC Fam Pract.* 2016 Mar 24;17:36. <https://doi.org/10.1186/s12875-016-0431-1>.
  71. Panagioti M, Panagopoulou E, Bower P, Lewith G, Kontopantelis E, Chew-Graham C et al. Controlled interventions to reduce burnout in physicians a systematic review and meta-analysis. *JAMA Intern Med.* 2017 Feb 1;177(2):195–205. <https://doi.org/10.1001/jamainternmed.2016.7674>.
  72. Ryan C, Bergin M, Chalder T, Wells JS. Web-based interventions for the management of stress in the workplace: Focus, form, and efficacy. *J Occup Health.* 2017 May 25;59(3):215–36. <https://doi.org/10.1539/joh.16-0227-RA>.
  73. Soprovich AL, Seaton CL, Bottorff JL, Duncan MJ, Caperchione CM, Oliffe JL et al. A systematic review of workplace behavioral interventions to promote sleep health in men. *Sleep Health.* 2020 Jun;6(3):418–30. <https://doi.org/10.1016/j.sleh.2020.04.008>.
  74. Stanulewicz N, Knox E, Narayanasamy M, Shivji N, Khunti K, Blake H. Effectiveness of lifestyle health promotion interventions for nurses: A systematic review. *Int J Environ Res Public Health.* 2019 Dec 18;17(1):17. <https://doi.org/10.3390/ijerph17010017>.

75. Suleiman-Martos N, Gomez-Urquiza JL, Aguayo-Estremera R, Cañadas-De La Fuente GA, De La Fuente-Solana EI, Albendín-García L. The effect of mindfulness training on burnout syndrome in nursing: A systematic review and meta-analysis. *J Adv Nurs*. 2020 May;76(5):1124–40. <https://doi.org/10.1111/jan.14318>.
76. Trowbridge K, Mische Lawson L. Mindfulness-based interventions with social workers and the potential for enhanced patient-centered care: A systematic review of the literature. *Soc Work Health Care*. 2016;55(2):101–24. <https://doi.org/10.1080/00981389.2015.1094165>.
77. Vega-Escañó J, Porcel-Gálvez AM, Diego-Cordero R, Romero-Sánchez JM, Romero-Saldaña M, Barrientos-Trigo S. Insomnia interventions in the workplace: A systematic review and meta-analysis. *Int J Environ Res Public Health* 2020 Sep;17(17):1–18. <https://doi.org/10.3390/ijerph17176401>.
78. Verbeek J, Ruotsalainen J, Laitinen J, Korhakangas E, Lusa S, Mänttari S et al. Interventions to enhance recovery in healthy workers; A scoping review. *Occup Med (Lond)*. 2019 Feb 7;69(1):54–63. <https://doi.org/10.1093/occmed/kqy141>.
79. West CP, Dyrbye LN, Erwin PJ, Shanafelt TD. Interventions to prevent and reduce physician burnout: a systematic review and meta-analysis. *Lancet* 2016 Nov;388(10057):2272–81. [https://doi.org/10.1016/S0140-6736\(16\)31279-X](https://doi.org/10.1016/S0140-6736(16)31279-X)
80. Wild J, El-Salahi S, Esposti MD. The Effectiveness of Interventions Aimed at Improving Well-Being and Resilience to Stress in First Responders: A Systematic Review. *European Psychologist* 2020;25(4):252–71. <https://doi.org/10.1027/1016-9040/a000402>.
81. Williams SP, Malik HT, Nicolay CR, Chaturvedi S, Darzi A, Purkayastha S. Interventions to improve employee health and well-being within health care organizations: A systematic review. *J Healthc Risk Manag*. 2018 Apr;37(4):25–51. <https://doi.org/10.1002/jhrm.21284>.
82. Xu H, Kynoch K, Tuckett A, Eley R. Effectiveness of interventions to reduce emergency department staff occupational stress and/or burnout: A systematic review. *JBI Evid Synth*. 2020 Jun;18(6):1156–88. <https://doi.org/10.11124/JBISRIR-D-19-00252>.
83. Daniels K, Gedikli C, Watson D, Semkina A, Vaughn O. Job design, employment practices and well-being: a systematic review of intervention studies. *Ergonomics*. 2017 Sep;60(9):1177–96. <https://doi.org/10.1080/00140139.2017.1303085>.
84. Gayed A, Milligan-Saville JS, Nicholas J, Bryan BT, LaMontagne AD, Milner A et al. Effectiveness of training workplace managers to understand and support the mental health needs of employees: A systematic review and meta-analysis. *Occup Environ Med*. 2018 Jun;75(6):462–70. <https://doi.org/10.1136/oemed-2017-104789>.
85. Hill RC, Dempster M, Donnelly M, McCorry NK. Improving the wellbeing of staff who work in palliative care settings: A systematic review of psychosocial interventions. *Palliat Med*. 2016 Oct;30(9):825–33. <https://doi.org/10.1177/0269216316637237>.
86. Kuster AT, Dalsbø TK, Luong Thanh BY, Agarwal A, Durand-Moreau QV, Kirkehei I. Computer-based versus in-person interventions for preventing and reducing stress in workers. *Cochrane Database Syst Rev*. 2017 Aug 30;8(8):CD011899. <https://doi.org/10.1002/14651858.CD011899.pub2>.
87. Nigatu YT, Huang J, Rao S, Gillis K, Merali Z, Wang JL. Indicated Prevention Interventions in the Workplace for Depressive Symptoms: A Systematic Review and Meta-analysis. *Am J Prev Med*. 2019 Jan;56(1):e23–33. <https://doi.org/10.1016/j.amepre.2018.08.027>.
88. Stuber F, Seifried-Dübon T, Rieger MA, Gündel H, Ruhle S, Zipfel S et al. The effectiveness of health-oriented leadership interventions for the improvement of mental health of employees in the health care sector: a systematic review. *Int Arch Occup Environ Health*. 2021 Feb;94(2):203–20. <https://doi.org/10.1007/s00420-020-01583-w>.
89. Webster NL, Oyeboode JR, Jenkins C, Bicknell S, Smythe A. Using technology to support the emotional and social well-being of nurses: A scoping review. *J Adv Nurs*. 2020 Jan;76(1):109–20. <https://doi.org/10.1111/jan.14232>.
90. Bellón JÁ, Conejo-Cerón S, Cortés-Abela C, Pena-Andreu JM, García-Rodríguez A, Moreno-Peral P. Effectiveness of psychological and educational interventions for the prevention of depression in the workplace: A systematic review and meta-analysis. *Scand J Work Environ Health*. 2019 Jul 1;45(4):324–32. <https://doi.org/10.5271/sjweh.3791>.
91. Carolan S, Harris PR, Cavanagh K. Improving employee well-being and effectiveness: systematic review and meta-analysis of web-based psychological interventions delivered in the workplace. *J Med Internet Res* 2017 Jul;19(7):e271. <https://doi.org/10.2196/jmir.7583>.
92. Maricuțoiu LP, Sava FA, Butta O. The effectiveness of controlled interventions on employees' burnout: A meta-analysis. *J Occup Organ Psychol* 2016 Mar;89(1):1–27. <https://doi.org/10.1111/joop.12099>.
93. Reeve A, Tickle A, Moghaddam N. Are acceptance and commitment therapy-based interventions effective for reducing burnout in direct-care staff? A systematic review and meta-analysis. *Mental Health Review Journal* 2018; Vol. 23(3), 131–55. <https://doi.org/10.1108/MHRJ-11-2017-0052>.
94. Romppanen J, Häggman-Laitila A. Interventions for nurses' well-being at work: a quantitative systematic review. *J Adv Nurs*. 2017 Jul;73(7):1555–69. <https://doi.org/10.1111/jan.13210>.
95. Slemp GR, Jach HK, Chia A, Loton DJ, Kern ML. Contemplative interventions and employee distress: A meta-analysis. *Stress Health* 2019 Aug;35(3):227–55. <https://doi.org/10.1002/smi.2857>.

Received for publication: 19 October 2022